

360°

Schoeller Allibert Returnable Plastic Packaging Solutions

➤ Stackable Containers




Schoeller Allibert

Innovating your logistics for a better world

Innovating your logistics for a better world

Table of contents


- 01. Introduction
- 02. Key benefits
- 04. Products in details
- 20. Leading in innovation
- 21. Instructions for use



Our 360° approach



























As a global market leader in the field of returnable plastic packaging solutions, Schoeller Allibert is committed to reducing our customers' logistics and packaging costs. By using our knowledge and innovative skills, we are dedicated to improving the supply chains of our clients.

Our returnable plastic packaging systems are designed to speed handling and distribution operations for a more efficient supply chain. At Schoeller Allibert, we believe in making a difference for you, your business and your personal environment. That's why we say we are 'Innovating your logistics for a better world'.



See our online brochure for more details
www.schoellerallibert.com

Versions

- | | |
|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 
A Solid base | 
N Solid sliding door on sides |
| 
B Solid base with drainage holes | 
O Ventilated door on sides |
| 
C Ventilated base | 
P Ventilated door on ends |
| 
D Solid walls | 
Q 4 feet |
| 
E Ventilated walls | 
R 6 feet |
| 
F Ventilated sides + solid ends | 
S 9 feet |
| 
G 2 open handholes | 
T 2 skids |
| 
H 4 open handholes | 
U 3 skids |
| 
I Reinforced ribbed base | 
V 6 skids |
| 
J Reinforced smooth base | 
W Solid deck |
| 
K Integrated label holder | 
X Ventilated deck |
| 
L Solid drop door on 1 side | 
Y 4 castor wheels |
| 
M Solid drop door on 1 end | 
Z 2 fixed and 2 castor wheels |



Stackable Containers | EasyStack®

Stackable containers are suitable for a variety of industries and offer efficient handling, storage and transport. Thanks to many different footprints, heights and variants, they meet all kind of industry needs. Small, versatile and easy to handle, they are the perfect solution for automated handling systems.


VDA/KLT and Galia Containers



1. VDA compliant crates range: our CKLT, RKLT and RLKLT ranges include new models: 400 x 300 and 600 x 400 RKLT and RLKLT with 213 mm height.
2. Extensive Galia range: on top of the Odette 20kg range, we provide the 1200 x 300 container and several 600 x 500 models.
3. Euro standard: inter stacking with most Euro stacking crates on the market, the VDA and Galia automotive ranges offer features such as reinforced base, multiple standard label holders, deep comfortable handles.
4. Automated handling of heavy loads: multiple robot grips on walls and corners make the automotive containers compatible with automated handling systems. Strong pillars allow high stacking of heavy unit loads. All our boxes have passed the very demanding VDA and Galia tests.

→ More details see product **page 4**

Euro Stacking Containers



1. New Euroclick® range: euro containers with unique features: Click Booster® to increase the height of your crate by 15 mm in one click, and the Click Holder®, on either sides or ends. Lightweight, smooth and strong, this new range is the ideal partner of industrial logistics.
2. Wide standard range: solid or ventilated, with open or closed handles, label holders, lids... our Euro stacking range encompasses a variety of versions to meet all industries needs for handling, storage and logistics.
3. Seven footprints from 200 x 150 to 1000 x 400 and multiple height options, we are sure you will find the ideal crate for your own needs.
4. Automation: straight walls, corner pillars, double base... We offer, on application, our Eureka and LWB euro ranges designed for carrying heavy unit loads on automated handling systems.

→ More details see product **page 8**

Non Euro Stacking Containers



1. Special footprints and features for specific applications: because some parts and products have an awkward shape or size, and need to be handled in precise shipping units, Schoeller Allibert has developed many stackable crates for particular end uses.
2. Always meeting your needs: 500 x 300 ventilated crates for fruit harvesting, 750 x 500 cheese ripening crates, 762 x 457 mm confectionery trays: each activity can find a crate in our offer. Designed with industry leaders, they enhance process efficiency and reduce carbon footprint.
3. Automated handling: most of our stackable containers are compatible with conveying and automated handling equipment. RFID and bar code ready they are easily tracked.

→ More details see product **page 17**

System 9000



1. Modular flexible system: our small parts storage ranges include open front crates that can either stand on shelf or hook on louvered panels. Storage trays in 4 widths and 4 depths are designed to perfectly fit in carousel systems.
2. Wide range: from 0,2 to 33 L, for storage and easy access to all kinds of parts, tools and accessories. Ideal for assembly lines, aftersales, and maintenance services.
3. Compact and clever design prevents lost space between boxes optimizing storage space and enabling more different references on each level.
4. Customization and accessories: dividers for both width and length, clear cover for labels and self adhesive labels are amongst the multiple accessories we provide.

→ More details see product **page 18**

KLT top benefits

- 1. VDA norm compliant ranges.
- 2. Four new models in R-KLT and RL-KLT ranges for a unique extensive offer.
- 3. Efficient identification: multiple integrated label holders on sides and ends.
- 4. A wide choice from heavy duty to lightweight: C-KLT present reinforced base and walls, R-KLT, reinforced base and single walls, RL-KLT single base and walls.



VDA KLT

VDA R-KLT - 300 x 200



4150.760 (R-KLT 3215) - 5.3 L
Ext. (mm) 297 x 198 x 147
Int. (mm) 243 x 162 x 129.5
Weight (Kg) 0.57
Stacked height 133
Version A / D / K



VDA RL-KLT - 300 x 200



4170.004 (RL-KLT 3147) - 5 L
Ext. (mm) 297 x 198 x 147
Int. (mm) 243 x 162 x 129.5
Weight (Kg) 0.57
Stacked height 133
Version A / D / K



Lid ref.4165.820 (D 35) for 300x200 R and RL-KLT

VDA R-KLT - 400 x 300



4151.760 (R-KLT 4315) - 10 L
Ext. (mm) 396 x 297 x 147
Int. (mm) 346 x 265 x 109.5
Weight (Kg) 1.29
Stacked height 133
Version I / D / K



VDA RL-KLT - 400 x 300



4171.004 (RL-KLT 4147) - 11.8 L
Ext. (mm) 396 x 297 x 147
Int. (mm) 345 x 260 x 129.5
Weight (Kg) 1.08
Stacked height 133
Version A / D / K



4155.760 (R-KLT 4322) - 16.2 L
Ext. (mm) 396 x 297 x 213
Int. (mm) 346 x 265 x 176
Weight (Kg) 1.61
Stacked height 198.75
Version I / D / K



4175.004 (RL-KLT 4213) - 17.9 L
Ext. (mm) 396 x 297 x 213
Int. (mm) 345 x 260 x 196
Weight (Kg) 1.42
Stacked height 198.75
Version A / D / K



4152.760 (R-KLT 4329) - 22 L
Ext. (mm) 396 x 297 x 280
Int. (mm) 346 x 265 x 242
Weight (Kg) 1.85
Stacked height 265
Version I / D / K



4172.004 (RL-KLT 4280) - 24 L
Ext. (mm) 396 x 297 x 280
Int. (mm) 345 x 260 x 262
Weight (Kg) 1.7
Stacked height 265
Version A / D / K



Lid ref.4166.820 (D 45) for 400x300 R and RL-KLT

VDA R-KLT - 600 x 400



4154.760 (R-KLT 6415) - 22 L
Ext. (mm) 594 x 396 x 147
Int. (mm) 544 x 364 x 109.5
Weight (Kg) 2.1
Stacked height 133
Version I / D / K



VDA RL-KLT - 600 x 400



4174.004 (RL-KLT 6147) - 25 L
Ext. (mm) 594 x 396 x 147
Int. (mm) 544 x 359 x 129.5
Weight (Kg) 1.82
Stacked height 133
Version A / D / K



Lid ref.4167.820 (D 65) for 600x400 R and RL-KLT

VDA R-KLT - 600 x 400



4153.760 (R-KLT 6429) - 48 L
Ext. (mm) 594 x 396 x 280
Int. (mm) 544 x 364 x 242
Weight (Kg) 2.97
Stacked height 265
Version I / D / K



VDA RL-KLT - 600 x 400



4173.004 (RL-KLT 6280) - 51.9 L
Ext. (mm) 594 x 396 x 280
Int. (mm) 544 x 359 x 262
Weight (Kg) 2.67
Stacked height 265
Version A / D / K



4157.760 (R-KLT 6422) - 34.9 L
Ext. (mm) 594 x 396 x 213
Int. (mm) 544 x 364 x 176
Weight (Kg) 2.6
Stacked height 198.75
Version I / D / K



4177.004 (RL-KLT 6213) - 38.9 L
Ext. (mm) 594 x 396 x 213
Int. (mm) 544 x 359 x 176
Weight (Kg) 2.27
Stacked height 198.75
Version A / D / K



C-KLT - 300 x 200



9238.000 (C-KLT 3214) - 4.5 L
Ext. (mm) 297 x 198 x 147
Int. (mm) 260 x 136 x 129.5
Weight (Kg) 0.72
Stacked height 132.5
Version A / D / K



Lid ref. 9368.000 (D 32).

C-KLT - 400 x 300



9268.004 (C-KLT 4314) - 9 L
Ext. (mm) 396 x 297 x 147
Int. (mm) 334 x 247 x 105.5
Weight (Kg) 1.63
Stacked height 132.5
Version I / D / K



C-KLT - 600 x 400



9271.004 (C-KLT 6414) - 18 L
Ext. (mm) 594 x 396 x 147
Int. (mm) 532 x 346 x 100.8
Weight (Kg) 2.8
Stacked height 132.5
Version A / D / K



9272.004 (C-KLT 6421) - 30 L
Ext. (mm) 594 x 396 x 213
Int. (mm) 532 x 346 x 167
Weight (Kg) 3.7
Stacked height 199
Version A / D / K



9273.000 (C-KLT 6428) - 43 L
Ext. (mm) 594 x 396 x 280
Int. (mm) 532 x 346 x 233
Weight (Kg) 4.4
Stacked height 265
Version A / D / K



9275.000 (D 43) - Lid
Ext. (mm) 367 x 269 x 25
Weight (Kg) 0.23
Version W



9369.000 (D 64) - Lid
Ext. (mm) 565 x 368 x 25
Weight (Kg) 0.55
Version W



(All products are available in ESD material.)



(All products are available in ESD material.)



Galia top benefits

- 1. Standardized automotive containers
- 2. 4 footprints for modular, versatile logistics
- 3. Integrated Galia standard label holders



Galia Odetto

300 x 200

5212.500 (3212) - 4 L

Ext. (mm) 297 x 197 x 114
Int. (mm) 263 x 163 x 94
Weight (Kg) 0.57
Stacked height 99
Version A / D / K

Lid ref. 9363.000

400 x 300

4312.500 (4312) - 9 L

Ext. (mm) 396 x 297 x 114
Int. (mm) 362 x 263 x 94
Weight (Kg) 0.9
Stacked height 99
Version A / D / K

Lid ref. 9364.000

4322.500 (4322) - 18 L

Ext. (mm) 396 x 297 x 214
Int. (mm) 362 x 263 x 194
Weight (Kg) 1.44
Stacked height 199
Version A / D / K

Lid ref. 9364.000

Galia

600 x 500

9274.000 - 51 L

Ext. (mm) 594 x 496 x 214
Int. (mm) 550 x 462 x 196.5
Weight (Kg) 2.75
Stacked height 200
Version A / D / K

9484.029 - 75 L

Ext. (mm) 594 x 496 x 314
Int. (mm) 550 x 462 x 296.5
Weight (Kg) 3.18
Stacked height 300
Version B / D / K

600 x 400

6422.500 (6422) - 39 L

Ext. (mm) 594 x 396 x 214
Int. (mm) 560 x 362 x 194
Weight (Kg) 2.38
Stacked height 199
Version A / D / K

6432.500 (6432) - 59 L

Ext. (mm) 594 x 396 x 314
Int. (mm) 560 x 362 x 294
Weight (Kg) 2.96
Stacked height 299
Version A / D / K

9365.000 - Lid

Ext. (mm) 564 x 367 x 6
Weight (Kg) 0.39
Version W

Supplied in boxes of 30 units.

600 x 400

9486.029 - 18 L

Ext. (mm) 594 x 396 x 114
Int. (mm) 550 x 362 x 96.5
Weight (Kg) 1.8
Stacked height 100
Version B / D / K

1200 x 330

9249.000 (1315) - 40 L

Ext. (mm) 1196 x 328 x 150
Int. (mm) 1147 x 275 x 132
Weight (Kg) 3.7
Stacked height 135
Version A / D / K

Ref. 9552.00 divider.

Dollies top benefits | RollFlow®

- 1. Light and strong for effortlessly moving loads up to 250 Kg
- 2. For manoeuvrability, most models are available with swivel wheels
- 3. Rim ensures secure stacking of containers



600 x 400

8400.500

Ext. (mm) 598 x 400 x 182
Weight (Kg) 3.8
Version X / Y

ABS

Nylon wheels.

8400.600

Ext. (mm) 598 x 400 x 182
Weight (Kg) 3.8
Version X / Z

ABS

Nylon wheels.

9190.001 - Linkable Dolly

Ext. (mm) 600 x 400 x 188
Weight (Kg) 4.2
Version X / Y

ABS

Rubber wheels.

9193.000

Ext. (mm) 604 x 402 x 162
Weight (Kg) 4.0
Version X / Y

ABS

Nylon wheels.

9193.002

Ext. (mm) 604 x 402 x 162
Weight (Kg) 4.0
Version X / Y

ABS

Rubber wheels.

9193.025

Ext. (mm) 604 x 402 x 162
Weight (Kg) 3.5
Version X / Y

ABS

Nylon wheels.

9191.001 - Linkable Dolly

Ext. (mm) 604 x 454 x 195
Weight (Kg) 4.2
Version X / Y

ABS

Nylon wheels.

2800.500

Ext. (mm) 612 x 412 x 182
Weight (Kg) 4.1
Version X / Y

ABS

Nylon wheels.

800 x 600

9192.004 - Universal Dolly

Ext. (mm) 800 x 600 x 171
Weight (Kg) 9.7
Version W / Z

ABS

Rubber wheels. / With break.

9198.000

Ext. (mm) 1300 x 350 x 300
Weight (Kg) 2.0

ABS

Shaft for dolly ref.9192.004

Euroclick®:The new Eurocontainer
with unique features.

08 Light

Now the same high quality comes with less weight, helping you to cut costs.

07 Customisation

Enjoy the freedom of customisation with choice of colours, ventilated sides, pin-dot areas, engraving and printing.

06 Ergonomic handgrips

Small changes make a big difference - conveniently placed, ergonomic handgrips make EuroClick® more comfortable for users, enhancing efficiency and safety.

05 Rounded corners

Provide extra strength and smoother direction changes on conveyors.

04 Double-base rim

This additional support limits base deflection and allows smoother movement on rollers. We also introduced a sloped edge to reduce water retention.

01 Click Booster®

Easily increase the height of the crates and extend your range with the Click Booster®.

02 Drain Holes

Choose the option to meet the requirements of your fire service system.

03 Click-on Click Holder®

No more lost labels - the holder is purpose-designed to hold labels in place to guarantee 100% readability. Can be placed in two locations and its size can be modified.

Euroclick® - 400 x 300

New

8300.000 - 10.2 L

Ext. (mm) 397 x 297 x 120
Int. (mm) 367 x 267 x 107
Weight (Kg) 0.7
Stacked height 110
Version A / D

New

8301.000 - 12.6 L

Ext. (mm) 397 x 297 x 145
Int. (mm) 367 x 267 x 132
Weight (Kg) 0.8
Stacked height 135
Version A / D

New

8302.000 - 15.4 L

Ext. (mm) 397 x 297 x 175
Int. (mm) 367 x 267 x 162
Weight (Kg) 0.89
Stacked height 165
Version A / D

New

8303.000 - 19.7 L

Ext. (mm) 397 x 297 x 220
Int. (mm) 367 x 267 x 207
Weight (Kg) 1.0
Stacked height 210
Version A / D

(All products are available in ESD material.)



Euroclick® - 400 x 300

New

8304.000 - 20.9 L

Ext. (mm) 397 x 297 x 235
Int. (mm) 367 x 267 x 219.5
Weight (Kg) 1.1
Stacked height 222.5
Version A / D

New

8305.000 - 24.2 L

Ext. (mm) 397 x 297 x 270
Int. (mm) 367 x 267 x 254.5
Weight (Kg) 1.20
Stacked height 257.5
Version A / D

Euroclick® - 600 x 400

New

8307.000 - 21.6 L

Ext. (mm) 597 x 397 x 120
Int. (mm) 567 x 367 x 106.5
Weight (Kg) 1.43
Stacked height 110
Version A / D

New

8308.000 - 32.8 L

Ext. (mm) 597 x 397 x 175
Int. (mm) 567 x 367 x 161.5
Weight (Kg) 1.71
Stacked height 165
Version A / D

New

8309.000 - 41.4 L

Ext. (mm) 597 x 397 x 220
Int. (mm) 567 x 367 x 204
Weight (Kg) 1.82
Stacked height 209.5
Version A / D

New

8310.000 - 44.5 L

Ext. (mm) 597 x 397 x 235
Int. (mm) 567 x 367 x 219
Weight (Kg) 1.9
Stacked height 224.5
Version A / D

(All products are available in ESD material.)



Euro Stacking Containers top benefits

- 1. Flat bases compatible with all types of conveyors
- 2. Straight walls to optimize storage volume
- 3. Integrated label holders on some models
- 4. Vertical ribs to ensure stacking strength up to 1000 Kg
- 5. All models inter stack for efficient logistics and storage



Euro Containers

200 x 150

	9220.000 - 2 L	
	Ext. (mm)	200 x 150 x 118
	Int. (mm)	165 x 115 x 108
	Weight (Kg)	0.25
	Stacked height	110
Version		A / D

300 x 200

	8715.005 - 4 L	
	Ext. (mm)	297 x 197 x 120
	Int. (mm)	257 x 158 x 107
	Weight (Kg)	0.45
	Stacked height	110
Version		A / D / K

	9262.000 - 5 L	
	Ext. (mm)	300 x 200 x 118
	Int. (mm)	257 x 159 x 108
	Weight (Kg)	0.4
	Stacked height	110
Version		A / D

400 x 300

	8700.000 - 6 L	
	Ext. (mm)	396 x 296 x 75
	Int. (mm)	356 x 257 x 62
	Weight (Kg)	0.59
	Stacked height	65
Version		A / D

	9251.001 - 10 L	
	Ext. (mm)	400 x 300 x 118
	Int. (mm)	355 x 255 x 105
	Weight (Kg)	0.7
	Stacked height	110
Version		A / D

	9227.000 - 6 L	
	Ext. (mm)	400 x 300 x 74
	Int. (mm)	355 x 255 x 64
	Weight (Kg)	0.52
	Stacked height	67
Version		A / D

	8701.005 - 10 L	
	Ext. (mm)	396 x 296 x 120
	Int. (mm)	356 x 257 x 107
	Weight (Kg)	0.77
	Stacked height	110
Version		A / D / K

	9251.000 - 9.6 L	
	Ext. (mm)	400 x 300 x 118
	Int. (mm)	355 x 255 x 105
	Weight (Kg)	0.7
	Stacked height	110
Version		C / E

	8702.005 - 15 L	
	Ext. (mm)	396 x 296 x 175
	Int. (mm)	356 x 257 x 162
	Weight (Kg)	0.93
	Stacked height	165
Version		A / D / K

Euro Containers

400 x 300

	9232.000 - 16 L	
	Ext. (mm)	400 x 300 x 175
	Int. (mm)	355 x 255 x 164
	Weight (Kg)	0.95
	Stacked height	167
Version		A / D

	8703.005 - 20 L	
	Ext. (mm)	396 x 296 x 235
	Int. (mm)	356 x 257 x 222
	Weight (Kg)	1.16
	Stacked height	225
Version		A / D / K

	8703.720 - 20 L	
	Ext. (mm)	400 x 300 x 235
	Int. (mm)	356 x 257 x 222
	Weight (Kg)	0.93
	Stacked height	225
Version		C / E / G

	9240.001 - 20 L	
	Ext. (mm)	400 x 300 x 235
	Int. (mm)	355 x 255 x 220
	Weight (Kg)	1.32
	Stacked height	225
Version		A / D

600 x 400

	9228.000 - 8 L	
	Ext. (mm)	600 x 400 x 50
	Int. (mm)	555 x 355 x 40
	Weight (Kg)	0.9
	Stacked height	42
Version		A / D

	9229.000 - 12 L	
	Ext. (mm)	600 x 400 x 73
	Int. (mm)	555 x 355 x 62
	Weight (Kg)	1.14
	Stacked height	65
Version		A / D

	9229.001 - 12 L	
	Ext. (mm)	600 x 400 x 73
	Int. (mm)	555 x 355 x 57
	Weight (Kg)	0.93
	Stacked height	65
Version		C / E

	9234.000 - 30 L	
	Ext. (mm)	400 x 300 x 319
	Int. (mm)	355 x 255 x 300
	Weight (Kg)	1.74
	Stacked height	309
Version		A / D

	9213.006 - 30 L	
	Ext. (mm)	400 x 300 x 319
	Int. (mm)	355 x 255 x 300
	Weight (Kg)	1.19
	Stacked height	309
Version		A / E

	8705.820	
	Ext. (mm)	400 x 300 x 26
	Weight (Kg)	0.34
	Version	W
Supplied in boxes of 40 units.		


	8705.821	
	Ext. (mm)	400 x 300 x 26
	Weight (Kg)	0.34
	Version	W
Snap shut lid. / Supplied in boxes of 40 units.		

	9352.000	
	Ext. (mm)	400 x 300 x 30
	Weight (Kg)	0.36
	Version	W
Supplied in boxes of 40 units.		

	8707.005 - 12 L	
	Ext. (mm)	596 x 396 x 75
	Int. (mm)	556 x 356 x 61
	Weight (Kg)	1.16
	Stacked height	65
Version		A / D


	9230.001 - 21 L	
	Ext. (mm)	600 x 400 x 118
	Int. (mm)	555 x 355 x 105
	Weight (Kg)	1.36
	Stacked height	112
Version		A / D

	9230.000 - 21 L	
	Ext. (mm)	600 x 400 x 118
	Int. (mm)	555 x 355 x 105
	Weight (Kg)	1.2
	Stacked height	112
Version		C / E




9222.001 - 20 L

Ext. (mm) 600 x 400 x 120
Int. (mm) 556 x 358 x 104
Weight (Kg) 1.16
Stacked height 112
Version C / E



8708.005 - 21 L

Ext. (mm) 596 x 396 x 120
Int. (mm) 556 x 356 x 106
Weight (Kg) 1.43
Stacked height 110
Version A / D / K



9225.002 - 28 L


Ext. (mm) 600 x 400 x 150
Int. (mm) 555 x 355 x 139
Weight (Kg) 1.57
Stacked height 142
Version A / D

Ref. 9225.003 solid base and ventilated walls version.



9225.001 - 28 L

Ext. (mm) 600 x 400 x 150
Int. (mm) 555 x 355 x 139
Weight (Kg) 1.34
Stacked height 142
Version C / E




9242.000 - 32 L

Ext. (mm) 600 x 400 x 170
Int. (mm) 555 x 355 x 158
Weight (Kg) 1.22
Stacked height 160
Version C / E




8710.005 - 32 L

Ext. (mm) 596 x 396 x 175
Int. (mm) 556 x 356 x 161
Weight (Kg) 1.65
Stacked height 165
Version A / D / K



9235.000 - 33 L

Ext. (mm) 600 x 400 x 175
Int. (mm) 555 x 355 x 164
Weight (Kg) 1.9
Stacked height 167
Version A / D



9235.002 - 33 L

Ext. (mm) 600 x 400 x 175
Int. (mm) 555 x 355 x 164
Weight (Kg) 1.69
Stacked height 167
Version A / D / G




9247.000 - 35 L

Ext. (mm) 600 x 400 x 193
Int. (mm) 555 x 355 x 167
Weight (Kg) 1.57
Stacked height 180
Version C / E / G



8711.005 - 44 L

Ext. (mm) 596 x 396 x 235
Int. (mm) 556 x 356 x 221
Weight (Kg) 1.92
Stacked height 225
Version A / D / K



9237.000 - 45 L


Ext. (mm) 600 x 400 x 235
Int. (mm) 555 x 355 x 220
Weight (Kg) 2.04
Stacked height 225
Version A / D

Ref. 9264.005 open handholes version.




9237.002 - 45 L

Ext. (mm) 600 x 400 x 235
Int. (mm) 555 x 355 x 220
Weight (Kg) 1.96
Stacked height 225
Version A / E




9264.001 - 45 L

Ext. (mm) 600 x 400 x 235
Int. (mm) 555 x 355 x 215
Weight (Kg) 1.83
Stacked height 225
Version C / E / G




8679.001 - 52 L

Ext. (mm) 600 x 400 x 280
Int. (mm) 555 x 355 x 255
Weight (Kg) 2.18
Stacked height 268
Version C / E




6476.750 - 53 L

Ext. (mm) 600 x 400 x 280
Int. (mm) 555 x 355 x 267
Weight (Kg) 2.85
Stacked height 270
Version A / D / G




8679.004 - 54 L

Ext. (mm) 600 x 400 x 280
Int. (mm) 555 x 355 x 265
Weight (Kg) 2.51
Stacked height 268
Version A / D




2366.857 - 56 L

Ext. (mm) 600 x 400 x 300
Int. (mm) 555 x 355 x 283
Weight (Kg) 3.09
Stacked height 288
Version A / D / L




2366.851 - 56 L

Ext. (mm) 600 x 400 x 300
Int. (mm) 555 x 355 x 283
Weight (Kg) 3.15
Stacked height 288
Version A / D / M



9263.000 - 60 L


Ext. (mm) 600 x 400 x 319
Int. (mm) 555 x 355 x 295
Weight (Kg) 2.33
Stacked height 307
Version C / E / H



9250.001 - 60 L


Ext. (mm) 600 x 400 x 319
Int. (mm) 555 x 355 x 300
Weight (Kg) 2.75
Stacked height 307
Version A / D / H

Ref. 9250.000 closed handholes version.



9250.002 - 60 L


Ext. (mm) 600 x 400 x 319
Int. (mm) 555 x 355 x 300
Weight (Kg) 2.31
Stacked height 307
Version A / E / H



8712.005 - 59 L


Ext. (mm) 596 x 396 x 320
Int. (mm) 556 x 356 x 306
Weight (Kg) 2.63
Stacked height 310
Version A / D / K

Ref. 8712.760 open handholes version.



3640.720 - 80 L

Ext. (mm) 600 x 400 x 410
Int. (mm) 555 x 355 x 385
Weight (Kg) 2.64
Stacked height 400
Version C / E / G




8713.005 - 80 L

Ext. (mm) 596 x 396 x 410
Int. (mm) 556 x 365 x 395
Weight (Kg) 3.65
Stacked height 400
Version A / D / K




9226.001 - 75 L
Ext. (mm) 600 x 400 x 412
Int. (mm) 555 x 355 x 398
Weight (Kg) 3.6
Stacked height 400
Version A / D / H



8714.820
Ext. (mm) 600 x 400 x 26
Weight (Kg) 0.92
Version W




Supplied in boxes of 20 units.



9353.000
Ext. (mm) 600 x 400 x 30
Weight (Kg) 0.88
Version W



Supplied in boxes of 15 units.



9354.000
Ext. (mm) 613 x 411 x 39
Weight (Kg) 0.87
Version W



Snap shut lid. Supplied in boxes of 14 units.



9226.002 - 75 L
Ext. (mm) 600 x 400 x 412
Int. (mm) 555 x 355 x 398
Weight (Kg) 3.13
Stacked height 400
Version A / E / H



9226.003 - 76 L
Ext. (mm) 600 x 400 x 412
Int. (mm) 555 x 355 x 394
Weight (Kg) 3.0
Stacked height 400
Version C / E / H



800 x 400



6488.005 - 49 L
Ext. (mm) 799 x 399 x 200
Int. (mm) 760 x 360 x 186
Weight (Kg) 2.7
Stacked height 190
Version A / D / K



800 x 600



6489.750 - 77 L
Ext. (mm) 800 x 600 x 200
Int. (mm) 750 x 550 x 187
Weight (Kg) 4.05
Stacked height 190
Version A / D / G



6491.750 - 118 L
Ext. (mm) 800 x 600 x 300
Int. (mm) 750 x 550 x 287
Weight (Kg) 4.75
Stacked height 290
Version A / D / G



9239.001 - 87 L
Ext. (mm) 800 x 600 x 235
Int. (mm) 755 x 555 x 205
Weight (Kg) 4.1
Stacked height 220
Version A / D / H




Ref. 9239.005 ventilated walls, solid base version.



9239.000 - 87 L
Ext. (mm) 800 x 600 x 235
Int. (mm) 755 x 555 x 205
Weight (Kg) 3.33
Stacked height 220
Version C / E / H



9244.001 - 125 L
Ext. (mm) 800 x 600 x 319
Int. (mm) 755 x 555 x 295
Weight (Kg) 4.15
Stacked height 307
Version A / E / G



9313.005 - 162 L
Ext. (mm) 800 x 600 x 412
Int. (mm) 755 x 555 x 382
Weight (Kg) 6.17
Stacked height 397
Version A / D / H




Ref. 9313.006 ventilated walls, solid base version.



6440.750 - 159 L
Ext. (mm) 800 x 600 x 415
Int. (mm) 750 x 550 x 385
Weight (Kg) 8.1
Stacked height 400
Version A / D / G




Ref. 6440.000 closed handles version.



9358.000 - Lid
Ext. (mm) 800 x 600 x 33
Weight (Kg) 1.86
Version W




Supplied in boxes of 40 units.



6440.820 - Lid
Ext. (mm) 800 x 600 x 33
Weight (Kg) 2.6
Version W



Supplied in boxes of 10 units.



9357.000 - Lid
Ext. (mm) 809 x 607 x 48
Weight (Kg) 2.260
Version W



Snap shut lid. Supplied in boxes of 6 units.

1000 x 400



8716.005 - 63 L
Ext. (mm) 994 x 397 x 214
Int. (mm) 947 x 350 x 185
Weight (Kg) 3.83
Stacked height 202
Version A / D / K



Accessories



8717.005 - 1 L - Insert tray
Ext. (mm) 177 x 49 x 55
Int. (mm) 165 x 82 x 62
Weight (Kg) 0.08
Version A / D



4509.830 - 1.1 L - Insert tray
Ext. (mm) 137 x 87 x 110
Int. (mm) 132 x 82 x 105
Weight (Kg) 0.14
Version A / D



A191000077 - Clip Label holder
Ext. (mm) 13 x 76 x 19

METAL

Supplied in boxes of 1000 units.



A199580113 - Label holder
Ext. (mm) 270 x 104 x 8
Right window (mm) 106 x 57
Left window (mm) 112 x 57



Supplied in boxes of 320 units.



9902.000 - Divider
Ext. (mm) 1104 x 45
Weight (Kg) 0.11



Supplied in boxes of 120 units.



9316.004 - Divider
Ext. (mm) 1104 x 88
Weight (Kg) 0.22



Supplied in boxes of 60 units.



9901.000 - Divider
Ext. (mm) 1100 x 150
Weight (Kg) 0.44



Supplied in boxes of 20 units.



8670.000 - Divider
Ext. (mm) 1100 x 190
Weight (Kg) 0.5



Supplied in boxes of 20 units.





Attached Lid Euro Containers top benefits

- 1. Hinged lids for maximum protection
- 2. Lids can be sealed by cables to deter theft
- 3. Vertical pillars ensure optimum stacking strength



Attached Lid Euro Container

400 x 300

	9251.002 - 10 L Ext. (mm) 400 x 300 x 129 Int. (mm) 355 x 255 x 105 Weight (Kg) 1.21 Stacked height 122 Version A / D		9240.000 - 20 L Ext. (mm) 400 x 300 x 246 Int. (mm) 355 x 255 x 220 Weight (Kg) 1.68 Stacked height 239 Version A / D
	9232.001 - 15 L Ext. (mm) 400 x 300 x 186 Int. (mm) 355 x 255 x 164 Weight (Kg) 1.43 Stacked height 179 Version A / D		9234.001 - 30 L Ext. (mm) 400 x 300 x 330 Int. (mm) 355 x 255 x 300 Weight (Kg) 2.18 Stacked height 323 Version A / D

600 x 400

	9229.002 - 12 L Ext. (mm) 600 x 400 x 84 Int. (mm) 555 x 355 x 62 Weight (Kg) 1.87 Stacked height 77 Version A / D		9237.001 - 45 L Ext. (mm) 600 x 400 x 246 Int. (mm) 555 x 355 x 220 Weight (Kg) 2.96 Stacked height 239 Version A / D
	9230.003 - 21 L Ext. (mm) 600 x 400 x 129 Int. (mm) 555 x 355 x 105 Weight (Kg) 2.14 Stacked height 122 Version A / D		8679.002 - 54 L Ext. (mm) 600 x 400 x 291 Int. (mm) 555 x 355 x 265 Weight (Kg) 3.33 Stacked height 284 Version A / D
	9225.000 - 28 L Ext. (mm) 600 x 400 x 150 Int. (mm) 555 x 355 x 139 Weight (Kg) 1.385 Stacked height 142 Version A / D		9226.000 - 75 L Ext. (mm) 600 x 400 x 423 Int. (mm) 555 x 355 x 394 Weight (Kg) 4.47 Stacked height 416 Version A / D
	9235.001 - 33 L Ext. (mm) 600 x 400 x 186 Int. (mm) 555 x 355 x 164 Weight (Kg) 2.475 Stacked height 179 Version A / D		

Non Euro Stacking Containers top benefits

- 1. A wide variety of footprints and designs for specific end uses
- 2. Cheese trays are rigid and have soft rounded ribs. They are compatible with automated handling ripening systems.
- 3. Confectionery and morning goods trays: ventilated or solid they protect fragile food products.
- 4. Harvesting crates 500 x 300 footprint to optimize pallet loads and cool chambers fill.



Non Euro Stacking Containers









	7199.001 - 30 L Ext. (mm) 433 x 352 x 272 Int. (mm) 397 x 316 x 252 Weight (Kg) 1.85 Stacked height 260 Version C / E / G		9989.001 - 43 L Ext. (mm) 750 x 450 x 165 Int. (mm) 724 x 424 x 138 Weight (Kg) 1.6 Stacked height 152 Version C / E / G
	9333.000 - 30 L Ext. (mm) 500 x 300 x 265 Int. (mm) 465 x 265 x 250 Weight (Kg) 1.32 Stacked height 257 Version C / E / G		9825.001 - 45 L Ext. (mm) 750 x 500 x 165 Int. (mm) 720 x 500 x 139 Weight (Kg) 3.15 Stacked height 153 Version C / E
	8120.760 - 29 L Ext. (mm) 600 x 330 x 210 Int. (mm) 535 x 292 x 188 Weight (Kg) 2.0 Stacked height 200 Version A / D		9743.004 - 22 L Ext. (mm) 762 x 457 x 92 Int. (mm) 715 x 412 x 72 Weight (Kg) 1.8 Stacked height 84 Version A / D
	9321.004 - 28 L Ext. (mm) 654 x 395 x 155 Int. (mm) 585 x 325 x 139 Weight (Kg) 1.9 Stacked height 143 Version A / D		9742.001 - 32 L Ext. (mm) 762 x 457 x 123 Int. (mm) 715 x 412 x 103 Weight (Kg) 1.9 Stacked height 115 Version C / E / G
	9337.000 - 20 L Ext. (mm) 750 x 500 x 89 Int. (mm) 717 x 471 x 60 Weight (Kg) 2.24 Stacked height 76 Version C / E / I / G		9742.004 - 32 L Ext. (mm) 762 x 457 x 123 Int. (mm) 715 x 412 x 103 Weight (Kg) 2.2 Stacked height 115 Version A / D
	9337.001 - 35 L Ext. (mm) 750 x 500 x 132 Int. (mm) 717 x 471 x 106 Weight (Kg) 2.66 Stacked height 121 Version C / E / I / G		9741.004 - 48 L Ext. (mm) 762 x 457 x 176 Int. (mm) 715 x 412 x 156 Weight (Kg) 2.6 Stacked height 168 Version A / D / G




System 9000 top benefits

- 1. Small parts storage system
- 2. Large front opening for easy picking
- 3. Wide large range of accessories : dividers, labels, front door
- 4. 0,2 L to 33 L capacity for many types of parts



System 9000

	9076.000 - 0.2 L - Storage Bin Ext. (mm) 96 x 105 x 45 Int. (mm) 91 x 64 x 36 Weight (Kg) 0.04 Version A / D
	9075.000 - 1 L - Storage Bin Ext. (mm) 170 x 105 x 75 Int. (mm) 125 x 100 x 68 Weight (Kg) 0.09 Version A / D
	9074.005 - 4 L - Storage Bin Ext. (mm) 250 x 148 x 130 Int. (mm) 175 x 142 x 120 Weight (Kg) 0.26 Version A / D
	9067.000 - 8 L - Modular Bin Ext. (mm) 300 x 230 x 150 Int. (mm) 225 x 224 x 140 Weight (Kg) 0.47 Version A / D
	9073.005 - 8 L - Storage Bin Ext. (mm) 350 x 206 x 150 Int. (mm) 225 x 200 x 140 Weight (Kg) 0.56 Version A / D
	9063.000 - 11 L - Storage Bin Ext. (mm) 350 x 206 x 200 Int. (mm) 225 x 200 x 190 Weight (Kg) 0.62 Version A / D
	9068.005 - 11 L - Modular Bin Ext. (mm) 400 x 230 x 150 Int. (mm) 325 x 224 x 140 Weight (Kg) 0.62 Version A / D
	9069.005 - 14 L - Modular Bin Ext. (mm) 500 x 230 x 150 Int. (mm) 425 x 224 x 140 Weight (Kg) 0.67 Version A / D





	9070.000 - 17 L - Modular Bin Ext. (mm) 600 x 230 x 150 Int. (mm) 525 x 224 x 140 Weight (Kg) 0.86 Version A / D
	9071.000 - 25 L - Storage Bin Ext. (mm) 500 x 310 x 200 Int. (mm) 425 x 310 x 190 Weight (Kg) 1.12 Version A / D
	9072.000 - 33 L - Storage Bin Ext. (mm) 500 x 310 x 250 Int. (mm) 425 x 304 x 240 Weight (Kg) 1.15 Version A / D

Accessories



	9067.300 - Divider width way Weight (Kg) 0.1
	9067.400 - Front Drop Door
	9067.500 - Divider length way Weight (Kg) 0.1
	9067.830 - Label with label protector Ext. (mm) 230 x 38


Adhesive labels available ref. 9141.835 and ref. 4534.835.
Available colors : Blue 625, Red 215, Yellow 316. Some items are also available in conductive and recycled.


System 9000

	9221.760 - 2 L Ext. (mm) 500 x 115 x 62 Int. (mm) 460 x 107 x 49 Weight (Kg) 0.31 Version A / D
	9223.760 - 5 L Ext. (mm) 500 x 230 x 62 Int. (mm) 460 x 222 x 49 Weight (Kg) 0.48 Version A / D
	9231.760 - 3 L Ext. (mm) 600 x 115 x 62 Int. (mm) 560 x 107 x 49 Weight (Kg) 0.38 Version A / D
	9233.760 - 6 L Ext. (mm) 600 x 230 x 62 Int. (mm) 560 x 222 x 49 Weight (Kg) 0.57 Version A / D
	4533.760 - 2 L Ext. (mm) 300 x 94 x 82 Int. (mm) 270 x 86 x 64 Weight (Kg) 0.19 Version A / D

Accessories

	4535.760 - Divider Ext. (mm) 94 Weight (Kg) 0.013
	4534.760 - Divider Ext. (mm) 188 Weight (Kg) 0.027

	4531.760 - 3 L Ext. (mm) 300 x 188 x 82 Int. (mm) 270 x 180 x 64 Weight (Kg) 0.32 Version A / D
	4532.760 - 2 L Ext. (mm) 400 x 94 x 82 Int. (mm) 370 x 86 x 64 Weight (Kg) 0.25 Version A / D
	4530.760 - 4 L Ext. (mm) 400 x 188 x 82 Int. (mm) 370 x 180 x 64 Weight (Kg) 0.36 Version A / D
	4537.760 - 3 L Ext. (mm) 500 x 94 x 82 Int. (mm) 470 x 86 x 64 Weight (Kg) 0.32 Version A / D
	4536.760 - 5 L Ext. (mm) 500 x 188 x 82 Int. (mm) 470 x 180 x 64 Weight (Kg) 0.45 Version A / D

	9243.760 - Divider Ext. (mm) 230 x 62 Weight (Kg) 0.03
---------------------------------------------------------------------------------------	---------------------------------------------------------------------

Leading in innovation

Schoeller Allibert creates innovative plastic packaging systems for a better world.

Continuous innovation



Continuous innovation is at the heart of our business. We see it as our task to ensure our clients are prepared for future challenges. In today's competitive markets, advantages resulting from smart design will rapidly translate into improved performance and considerable benefits.

Smart design makes the difference

Foldable containers that are stronger but weigh less will result in less fuel consumption during transport. Containers with 10% more transport volume and 30% less return volume when folded can make the difference in highly competitive markets like the automotive industry or agriculture.

Major innovations in returnable packaging

Many of the major innovations in plastic packaging systems were developed by Schoeller Allibert. We invented products like foldable large containers, such as the Magnum Optimum®, and bottle crates with in-mould labels. In addition, we invented and optimized production techniques like injection moulding and mirror welding, each time resulting in lighter, stronger and cleaner crates and containers. We take care of all the necessary steps, creating a sustainable packaging cycle.



Our innovation, development and quality departments are supported by our Technology Center (Hardenberg NL)



Instructions for use

To ensure that you get the best use of your Schoeller Allibert products, we recommend that you read the following use and care advice.

Loading

Safe unit and stacked load values depend on the model of container, type of load, temperature and duration. All Schoeller Allibert products have been designed to provide many years of continuous use in a wide range of demanding industrial applications. The FEA (finite element analysis) software developed by our designers means that we can manufacture products that are both lighter and stronger than ever before. In the event of any doubt concerning the strength or suitability for your application please consult Schoeller Allibert.

Temperature

Schoeller Allibert products are designed for use in a wide range of temperatures. Polypropylene (PP) trays and containers are ideal for use between -10°C to +50°C (depending on loading and use). High density polyethylene (HDPE) trays and containers are ideal for use between -20°C to +30°C with models serviceable from as low as -40°C up to +40°C (depending on loading and use). If the containers or pallets are expected to perform under load at temperatures close to these parameters, then we recommend that you contact Schoeller Allibert to discuss your application.

Washing

Polypropylene trays and containers can be put through tray washers in temperatures over +100°C for short periods 2 min on average. High density polyethylene (HDPE) trays, containers, pallets and bulk boxes can be cleaned at temperatures up to +80°C. Schoeller Allibert products are compatible with most washing and soda based detergents currently in use. Chemical resistance: Schoeller Allibert products are resistant to most chemical agents found in industry. In the event of any doubt, please consult Schoeller Allibert.

Do you want to know more ?

Visit our website www.schoellerallibert.com



Please contact your local Schoeller Allibert Company for further information or to receive our 10 product groups brochures :

Foldable large containers, Rigid pallet containers, Intermediate bulk containers, Plastic pallets, Stacking containers, Folding small containers, Stack/nest containers, Dollies, Beverage and Pails.



Please contact your local Schoeller Allibert Company for further information or to receive our market catalogs

Food & Food Processing, Industrial Manufacturing, Agriculture, Beverage, Retail and Automotive.

Online digital market brochures :



Food & Food Processing

Industrial Manufacturing

Agriculture


Beverage

Retail

Automotive

Pooling

- ① **Head Office Netherlands**
Schoeller Allibert B.V.
Taurusavenue 35
NL-2132 LS Hoofddorp
00 31 88 0047300
- ② **Austria**
Schoeller Allibert GmbH
Rudolf Diesel-Strasse 26
AT-2700 Wr. Neustadt
00 43 2622 206 56
- ③ **Belgium**
Schoeller Allibert bvba
Antwerpsesteenweg 175
BE-3970 Leopoldsburg
00 32 11 39 38 38
- ④ **Czech Republic**
Schoeller Allibert s.r.o.
NA Rovince 879
CZ-720 00 Ostrava
00 420 596 790 010
- ⑤ **Finland**
Schoeller Allibert Oy
Askonkatu 9 F
FI-15100 Lahti
00 358 848 211
- ⑥ **France**
Schoeller Allibert
176 avenue Charles de Gaulle
FR-92200 Neuilly-sur-Seine
00 33 1 41 20 09 90
- ⑦ **Germany**
Schoeller Allibert GmbH
Vossstrasse 20
DE-10117 Berlin
00 49 30 36471 100
- ⑧ **Hungary**
Schoeller Allibert Kft
Rétköz Utca 5
HU-1118 Budapest
00 36 1 788 3385
- ⑨ **Italy**
Schoeller Allibert S.p.A.
Via Enzo Ferrari, 1 - Frazione Zucche
IT-10040 Volvera (TO)
00 39 011 39 75 759
- ⑩ **Latvia**
Schoeller Allibert SIA
Ritausmas street 2
LV-1058 Riga
00 371 6 382280
- ⑪ **Netherlands**
Schoeller Allibert B.V.
Bruchterweg 88, NL-7772 BJ Hardenberg
Postbus 176, NL-7701 AD Hardenberg
+31 (0)523 72 70 26
- ⑫ **Poland**
Schoeller Allibert Sp. z o.o.
ul. Elekrownia 16
41-908 Bytom
00 48 32 283 13 10
- ⑬ **Romania**
Schoeller Allibert SRL
Str Turnu Magurele nr. 270 D
RO-041713 Bucharest
00 40 21 460 20 88



- ⑭ **Russia**
Schoeller Allibert ZAO
Business center LETO, office 508
Sverdlovskaya nab., 44
RU-195027 St. Petersburg
00 7 812 326 65 20
- ⑮ **Slovakia**
Schoeller Allibert s.r.o.
Pri starej prachârni 14
SK- 831 04 Bratislava
00 421 2 555 65940
- ⑯ **Spain**
Schoeller Allibert, SAU
Av. Camí Reial, 8
P.I. Riera de Caldes
ES-08184 Palau-Solità i Plegamans, Barcelona
00 34 93 864 0080
- ⑰ **Sweden**
Schoeller Allibert AB
Hässelholmsvägen 10, P.O. Box 82
SE-28422 Perstorp
00 46 435 777 000
- ⑱ **Switzerland**
Schoeller Allibert Swiss Holding Sàrl
Route de la Condemine 11
CH- 1680 Romont
00 41 266 519 210
- ⑲ **United Kingdom & Ireland**
Schoeller Allibert Limited
Road One Industrial Estate
GB-CW7 3RA Winsford
00 44 1606 561900
- ⑳ **International**
Schoeller Allibert International GmbH
Zugspitzstrasse 15
DE-82049 Pullach
00 49 89 638 66 0

Other continents

- Chile**
Logipak Schoeller Allibert SPA
Hermanos carrera into 79
Colina, Santiago, Chile
0056 (2) 24815970
- China**
Schoeller Allibert China
Room 115, Unit A3, No.700 Wanrong Road, Zhabei District
CN-200072 Shanghai
00 86 21 31 33 50 80
- India**
Schoeller Arca Time Materials Handling Solutions Ltd.
C Wing, Tex Center, Chandivali Farm Road, Andheri (E)
IN-400072 MUMBAI
+91 2271119500
- Mexico**
Schoeller Allibert International México, S.A. de C.V.
Avenida Cafetales 1702 D-205
Col. Hacienda de Coyoacán
Delegación Coyoacán
C.P. 04970
México D.F.
0049 89 638 66 0
- UAE**
Schoeller Allibert International Middle East LLC
Office 117 Abu Dhabi Airport Business Park
PO Box 2131
AE- Abu Dhabi, UAE
00971 2 419 2771
- USA**
Schoeller Allibert
4320 S. Cotton Lane Suite 200
Goodyear, AZ 85338
00 1 623 889 7970



Schoeller Allibert

www.schoellerallibert.com | shop.schoellerallibert.com