

360°

Schoeller Allibert Returnable Plastic Packaging Solutions

> Dollies



Schoeller Allibert

Innovating your logistics for a better world

Innovating your logistics for a better world

Table of contents

- 01. Introduction
- 02. Key benefits
- 04. Products in details
- 06. Leading in innovation
- 07. Instructions for use

Our 360° approach

As a global market leader in the field of returnable plastic packaging solutions, Schoeller Allibert is committed to reducing our customers' logistics and packaging costs. By using our knowledge and innovative skills, we are dedicated to improving the supply chains of our clients.

Our returnable plastic packaging systems are designed to speed handling and distribution operations for a more efficient supply chain. At Schoeller Allibert, we believe in making a difference for you, your business and your personal environment. That's why we say we are 'Innovating your logistics for a better world'.

05.
EFSA Food Approved
Recycling Services

01.
Logistic cost
saving analysis

04.
Marketing
propositions
and
campaigns

02.
Design and
engineering

03.
Production and
quality control

See our online brochure for more details
www.schoellerallibert.com


Versions



A Solid base



B Solid base with drainage holes



C Ventilated base



D Solid walls



E Ventilated walls



F Ventilated sides + solid ends



G 2 open handholes



H 4 open handholes



I Reinforced ribbed base



J Reinforced smooth base



K Integrated label holder



L Solid drop door on 1 side



M Solid drop door on 1 end



N Solid sliding door on sides



O Ventilated door on sides



P Ventilated door on ends



Q 4 feet



R 6 feet



S 9 feet



T 2 skids



U 3 skids



V 6 skids



W Solid deck




X Ventilated deck



Y 4 castor wheels



Z 2 fixed and 2 castor wheels



Dollies | RollFlow®

Our dollies are designed to facilitate safe and easy movement of loaded crates, stacked crates and stacked empty crates. We have a wide range of dollies with a variety of basic versions to suit different container dimensions. All our dollies are lightweight, hygienic and suitable for use in cold stores and freezers. They are safe and ergonomic and will make work easier for your employees.

Standard Dollies



This dolly is perfect for transporting crates, boxes, stacked crates and foldable small containers. It is specifically adapted for Retail and Drive supply chain, making easier orders preparation. It will carry up to 250 kg. The standard color is grey.

→ More details see product **page 8**

Linkable Dolly



Ideal for fulfilment from order picking to delivery to the customer's vehicle or pick-up point.

Developed to meet the growing trend for more sophisticated and efficient supply chains, Maxinest Plus+ deep tray works seamlessly with the latest automated filling, weighing, scanning and handling technology. Trays stack securely on wheeled dolly.

Dollies link together in a train of 2 or 3 units to speeds manually moving stacks of loaded trays, meaning operators perform just one journey instead of two or three.

→ More details see product **page 7**

Universal Dolly



800 x 600 mm footprint makes the Universal Dolly ideal for application where speed is essential and space is at a premium. It has a strong, closed deck and will carry up to 500 kg. The standard color is black.

→ More details see product **page 9**

Dollies top benefits

- 1. Light and strong for effortlessly moving loads up to 250 kg
- 2. For manoeuvrability, most models are available with 100mm diameter swivel castors
- 3. Rim ensures secure stacking of containers



600 x 400

8400.500

ABS

Ext. (mm)
Weight (Kg)
Version

598 x 400 x 182
3.8
X / Y

Nylon wheels.

8400.600

ABS

Ext. (mm)
Weight (Kg)
Version

598 x 400 x 182
3.8
X / Z

Nylon wheels.

9190.001 - Linkable Dolly

ABS

Ext. (mm)
Weight (Kg)
Version

600 x 400 x 188
4.2
X / Y

Rubber wheels.

9193.000

ABS

Ext. (mm)
Weight (Kg)
Version

604 x 402 x 162
4.0
X / Y

Nylon wheels.

9193.002

ABS

Ext. (mm)
Weight (Kg)
Version

604 x 402 x 162
4.0
X / Y

Rubber wheels.

9193.025

ABS

Ext. (mm)
Weight (Kg)
Version

604 x 402 x 162
3.5
X / Y

Nylon wheels.

9191.001 - Linkable Dolly

Ext. (mm)
Weight (Kg)
Version

604 x 454 x 195
4.2
X / Y

Nylon wheels.

2800.500

ABS

Ext. (mm)
Weight (Kg)
Version

612 x 412 x 182
4.1
X / Y

Nylon wheels.

Universal Dolly top benefits

- 1. Universal with 10 pop-ups safely secure loads of different sizes
- 2. Manoeuvrable with 2 fix and 2 swivel wheels
- 3. Resistant with a load capacity up to 500 kg



800 x 600

9192.004 - Universal Dolly

Ext. (mm)
Weight (Kg)
Version

800 x 600 x 171
9.7
W / Z

Rubber wheels. / With brake.



Shaft for dolly ref.9192.004

9198.000

Ext. (mm)
Weight (Kg)

1300 x 350 x 300
2.0

Leading in innovation

Schoeller Allibert creates innovative plastic packaging systems for a better world.

Continuous innovation



Continuous innovation is at the heart of our business. We see it as our task to ensure our clients are prepared for future challenges. In today's competitive markets, advantages resulting from smart design will rapidly translate into improved performance and considerable benefits.

Smart design makes the difference

Foldable containers that are stronger but weigh less will result in less fuel consumption during transport. Containers with 10% more transport volume and 30% less return volume when folded can make the difference in highly competitive markets like the automotive industry or agriculture.

Major innovations in returnable packaging

Many of the major innovations in plastic packaging systems were developed by Schoeller Allibert. We invented products like foldable large containers, such as the Magnum Optimum®, and bottle crates with in-mould labels. In addition, we invented and optimized production techniques like injection moulding and mirror welding, each time resulting in lighter, stronger and cleaner crates and containers. We take care of all the necessary steps, creating a sustainable packaging cycle.



Our innovation, development and quality departments are supported by our Technology Center (Hardenberg NL)



Instructions for use

To ensure that you get the best use of your Schoeller Allibert products, we recommend that you read the following use and care advice.

Loading

Safe unit and stacked load values depend on the model of container, type of load, temperature and duration. All Schoeller Allibert products have been designed to provide many years of continuous use in a wide range of demanding industrial applications. The FEA (finite element analysis) software developed by our designers means that we can manufacture products that are both lighter and stronger than ever before. In the event of any doubt concerning the strength or suitability for your application please consult Schoeller Allibert.

Temperature

Schoeller Allibert products are designed for use in a wide range of temperatures. Polypropylene (PP) trays and containers are ideal for use between -10°C to +50°C (depending on loading and use). High density polyethylene (HDPE) trays and containers are ideal for use between -20°C to +30°C with models serviceable from as low as -40°C up to +40°C (depending on loading and use). If the containers or pallets are expected to perform under load at temperatures close to these parameters, then we recommend that you contact Schoeller Allibert to discuss your application.

Washing

Polypropylene trays and containers can be put through tray washers in temperatures over +100°C for short periods 2 min on average. High density polyethylene (HDPE) trays, containers, pallets and bulk boxes can be cleaned at temperatures up to +80°C. Schoeller Allibert products are compatible with most washing and soda based detergents currently in use. Chemical resistance: Schoeller Allibert products are resistant to most chemical agents found in industry. In the event of any doubt, please consult Schoeller Allibert.

Do you want to know more ?

Visit our website www.schoellerallibert.com



Please contact your local Schoeller Allibert Company for further information or to receive our 10 product groups brochures :

Foldable large containers, Rigid pallet containers, Intermediate bulk containers, Plastic pallets, Stacking containers, Folding small containers, Stack/nest containers, Dollies, Beverage and Pails.




Please contact your local Schoeller Allibert Company for further information or to receive our market catalogs

Food & Food Processing, Industrial Manufacturing, Agriculture, Beverage, Retail and Automotive.

Online digital market brochures :



- ① **Head Office Netherlands**
Schoeller Allibert B.V.
Taurusavenue 35
NL-2132 LS Hoofddorp
00 31 88 0047300
- ② **Austria**
Schoeller Allibert GmbH
Rudolf Diesel-Strasse 26
AT-2700 Wr. Neustadt
00 43 2622 206 56
- ③ **Belgium**
Schoeller Allibert bvba
Antwerpsesteenweg 175
BE-3970 Leopoldsburg
00 32 11 39 38 38
- ④ **Czech Republic**
Schoeller Allibert s.r.o.
NA Rovince 879
CZ-720 00 Ostrava
00 420 596 790 010
- ⑤ **Finland**
Schoeller Allibert Oy
Askonkatu 9 F
FI-15100 Lahti
00 358 848 211
- ⑥ **France**
Schoeller Allibert
176 avenue Charles de Gaulle
FR-92200 Neuilly-sur-Seine
00 33 1 41 20 09 90
- ⑦ **Germany**
Schoeller Allibert GmbH
Vossstrasse 20
DE-10117 Berlin
00 49 30 36471 100
- ⑧ **Hungary**
Schoeller Allibert Kft
Rétköz Utca 5
HU-1118 Budapest
00 36 1 788 3385
- ⑨ **Italy**
Schoeller Allibert S.p.A.
Via Enzo Ferrari, 1 - Frazione
Zucche
IT-10040 Volvera (TO)
00 39 011 39 75 759
- ⑩ **Latvia**
Schoeller Allibert SIA
Ritausmas street 2
LV-1058 Riga
00 371 6 382280
- ⑪ **Netherlands**
Schoeller Allibert B.V.
Bruchterweg 88, NL-7772 BJ Hardenberg
Postbus 176, NL-7701 AD Hardenberg
+31 (0)523 72 70 26
- ⑫ **Poland**
Schoeller Allibert Sp. z o.o.
ul. Fryderyka Wilhelma Redena 5
41-808 Zabrze
00 48 32 283 13 10
- ⑬ **Romania**
Schoeller Allibert SRL
Str Turnu Magurele nr. 270 D
RO-041713 Bucharest
00 40 21 460 20 88



- ⑭ **Russia**
Schoeller Allibert ZAO
Business center LETO, office 508
Sverdlovskaya nab., 44
RU-195027 St. Petersburg
00 7 812 326 65 20
- ⑮ **Slovakia**
Schoeller Allibert s.r.o.
Pri starej prachârni 14
SK- 831 04 Bratislava
00 421 2 555 65940
- ⑯ **Spain**
Schoeller Allibert, SAU
Av. Camí Reial, 8
P.I. Riera de Caldes
ES-08184 Palau-Solità i Plegamans, Barcelona
00 34 93 864 0080
- ⑰ **Sweden**
Schoeller Allibert AB
Hässelholmsvägen 10, P.O. Box 82
SE-28422 Perstorp
00 46 435 777 000
- ⑱ **Switzerland**
Schoeller Allibert Swiss Holding Sàrl
Route de la Condemine 11
CH- 1680 Romont
00 41 266 519 210
- ⑲ **United Kingdom & Ireland**
Schoeller Allibert Limited
Road One Industrial Estate
GB-CW7 3RA Winsford
00 44 1606 561900
- ⑳ **International**
Schoeller Allibert International GmbH
Zugspitzstrasse 15
DE-82049 Pullach
00 49 89 638 66 0

Other continents

- Chile**
Logipak Schoeller Allibert SPA
Hermanos carrera into 79
Colina, Santiago, Chile
0056 (2) 24815970
- China**
Schoeller Allibert China
Room 115, Unit A3, No.700 Wanrong Road, Zhabei District
CN-200072 Shanghai
00 86 21 31 33 50 80
- India**
Schoeller Arca Time Materials Handling Solutions Ltd.
C Wing, Tex Center, Chandivali Farm Road, Andheri (E)
IN-400072 MUMBAI
+91 2271119500
- Mexico**
Schoeller Allibert International México, S.A. de C.V.
Avenida Cafetales 1702 D-205
Col. Hacienda de Coyoacán
Delegación Coyoacán
C.P. 04970
México D.F.
0049 89 638 66 0
- UAE**
Schoeller Allibert International Middle East LLC
Office 117 Abu Dhabi Airport Business Park
PO Box 2131
AE- Abu Dhabi, UAE
00971 2 419 2771
- USA**
Schoeller Allibert
4320 S. Cotton Lane Suite 200
Goodyear, AZ 85338
00 1 623 889 7970



Schoeller Allibert

www.schoellerallibert.com | shop.schoellerallibert.com