
3600

Schoeller Allibert Returnable Plastic Packaging Solutions

Miniload Container





Schoeller Allibert

Innovating your logistics for a better world

The new Miniload Container

Strong, modular and safe

Designed for automated handling systems

Silent and smooth: flat base and corners design allow the container to flow seamlessly and silently on any conveying system.

Angled outer edge enhances fast direction changes and protect the container from shocks.

Optimized volume

Thanks to the latest FEA calculation, the Miniload container offers a 60L stand alone volume.

Its internal dimensions are larger than most Eurostacking boxes on the market.

Smooth walls and base surfaces enable storage of all kinds of goods and speed up cleaning process.

Outstanding performances

Thanks to its flat welded double base, the box can take up to 50 kg unit load and show less than 5 mm deflection (Temp 23°C duration 96 hr) on all types of Miniload systems.

Modularity

The walls and base are designed to accept dividers in both width and length providing up to 8 individual locations for small parts storage and order preparation.

The container top rim is designed to receive the Click Booster® additional rim providing an incremental 15 mm usable height, adapting to all kind of goods and loads.

Maximized Safety

Fully compliant with the utmost fire safety norms:

- 32 holes on walls ensure fast sprinklers water and fire retardant drainage.
- Safety bund walls keep 6 liters inside the box base for extra safety.

Customization & tracking

Secure your crates fleet, increase management efficiency and enhance brand awareness.

RFID tags and Barcode label ready for 100% reliable tracking.

Recessed zones for self-adhesive labels on sides, inserts for your logo and message.

Versatile applications

Perfect for intralogistics efficiency, the Miniload container is also fully adapted to external industrial logistics:

- Versatility: interstacking with most Eurocontainer ranges on the market.
- Stacking strength: 300 kg allowing up to 7 full boxes in piles on pallets for efficient external logistics.
- Reverse logistics and empties storage: top rim corners locations for stable and safe inverted stacking and palletizing.

Miniload Container



8477.027 - 56 L - Miniload Conainer

Ext. (mm) 598 x 398 x 320 Int. (mm) 559 x 359 x 283

Weight (Kg) 3.35 Stacked height 307.5





Click Booster®

Upon request only
Please contact us



Accessories



8466.004 - Short solid divider

Ext. (mm) 381 x 272 x 6 Weight (Kg) 0.260



8465.001 - Long slotted divider

581 x 272 x 6

0.403

Ext. (mm) Weight (Kg)





8467.001 - Short slotted divider

Ext. (mm) 381 x 272 x 6 Weight (Kg) 0.260



Examples of possible partition with the different dividers options

Long slotted divider and short slotted divider combinations:







Short solid divider combinations:







Schoeller Allibert

Innovating your logistics for a better world

