

360°

Schoeller Allibert Returnable Plastic Packaging Solutions

AgriPlus®



Schoeller Allibert

Innovating your logistics for a better world


AgriPlus®: the new Big Box by Schoeller Allibert: just ask for more

More profitability

Internal angles reduced to speed up unloading and maximise efficiency at tipping.
Lighter and strong with redesigned top rim for extra rigidity.

More freshness

Optimised airflow through walls and base further enhance by the use of the ventilated column for highly moisture sensitive produce like garlic and onions.



More care for the fresh produce, Agriplus® is designed to preserve quality

The pyramidal shaped base reduces shocks and promotes a balanced distribution of produce, limiting bruises.



More performance

670 L capacity, 500kg unit load and 4500kg at stacking for maximised use of storage space.

More sustainability

Chamfered fork entries to minimize handling shocks and damages, reinforced base rim to withstand harsh handling, increasing lifespan and durability.
Lightweight with only 33 kg for the 4 feet model it lowers fuel consumption.
Agriplus® is 100% recyclable at the end of its long service life.

Customization and tracking

Enhance your brand awareness, secure your fleet and increase logistics efficiency:

Optional label holders on sides, recessed areas for self-adhesive labels and logo engraving

Large printing zones on all sides.



Versatile wide range

4 feet, 2 skids and 3 skids variants in both solid and ventilated sides and walls models fully adapted to various industry needs from the fruit and vegetables to the industrial manufacturing sectors.

Agriplus also available in PP.

AgriPlus®: Technical data



8182.400 - 670 L



Ext. (mm) 1200 x 1000 x 780
Int. (mm) 1120 x 920 x 588
Weight (Kg) 33.1
Stacked height (mm) 750
Unit load (Kg) 500
Stack load (Kg) 4500

Ventilated 4 feet



8182.100 - 670 L



Ext. (mm) 1200 x 1000 x 780
Int. (mm) 1120 x 920 x 588
Weight (Kg) 34.7
Stacked height (mm) 750
Unit load (Kg) 500
Stack load (Kg) 4500

Solid 4 feet



8182.500 - 670 L



Ext. (mm) 1200 x 1000 x 790
Int. (mm) 1120 x 920 x 588
Weight (Kg) 36.1
Stacked height (mm) 760
Unit load (Kg) 500
Stack load (Kg) 4500

Ventilated 2 skids



8182.200 - 670 L



Ext. (mm) 1200 x 1000 x 790
Int. (mm) 1120 x 920 x 588
Weight (Kg) 37.7
Stacked height (mm) 760
Unit load (Kg) 500
Stack load (Kg) 4500

Solid 2 skids



8182.600 - 670 L



Ext. (mm) 1200 x 1000 x 790
Int. (mm) 1120 x 920 x 588
Weight (Kg) 39.1
Stacked height (mm) 760
Unit load (Kg) 500
Stack load (Kg) 4500

Ventilated 3 skids



8182.300 - 670 L



Ext. (mm) 1200 x 1000 x 790
Int. (mm) 1120 x 920 x 588
Weight (Kg) 40.7
Stacked height (mm) 760
Unit load (Kg) 500
Stack load (Kg) 4500

Solid 3 skids

Lid



4410.820 - Lid



Ext. (mm) 1212 x 1012 x 79
Weight (Kg) 7.6



A199002002 - Ventilation column



Ext. (mm) 220 x 220 x 400
Weight (Kg) 0.54

Clips on base



Schoeller Allibert

Innovating your logistics for a better world



Please visit our website
www.schoellerallibert.com