


3600

Schoeller Allibert Returnable Plastic Packaging Solutions

InterStack




Schoeller Allibert

Innovating your logistics for a better world

InterStack: Technical data InterStack 1215

8011.004 - ID 1215-5

Ext. (inch)	12 x 15 x 5
Int. (inch)	9.4 x 13 x 4.4
Volume (ft³)	0.32
Weight (lb)	1.8
Label holder	Short side
Handles	Long side
Base	Smooth



	Ext. (inch)	12 x 15 x 7.5
	Int. (inch)	9.4 x 13 x 6.9
	Volume (ft³)	0.56
	Weight (lb)	2.4
3	Label holder	Short and long side
4.19.18	Handles	Short and long side
	Base	Smooth

8013.004 - ID 1215-9

	00.0.00.	
	Ext. (inch)	12 x 15 x 9.5
	Int. (inch)	9.4 x 13 x 8.9
	Volume (ft³)	0.62
	Weight (lb)	2.8
0 0	Label holder	Short and long side
SAM!	Handles	Short and long side
	Base	Smooth

InterStack 2415

E: V V L: H
_

8014.004 - ID 2415-5

Ext. (inch)	24 x 15 x 5
Int. (inch)	21.4 x 13 x 4.4
Volume (ft³)	0.72
Weight (lb)	3.0
Label holder	Long side
Handles	Short side
Base	Smooth

8015.004 - ID 2415-7



Ext. (inch) 24 x 15 x 7.5 21.4 x 13 x 6.9 Int. (inch) 1.309 Volume (ft³)

Weight (lb) 3.8 Label holder Short and long side Handles Short and long side Base Smooth

8016.004 - ID 2415-9



Ext. (inch) 24 x 15 x 9.5 21.4 x 13 x 8.9 Int. (inch) Volume (ft3) 1.42 4.4

Weight (lb) Label holder Short and long side Short and long side Handles Base Smooth

8011.029 - ID 1215-5



Ext. (inch) 12 x 15 x 5 Int. (inch) 9.4 x 13 x 4.4 0.32 Volume (ft3) Weight (lb) 1.8 Label holder Short side Handles Long side Base Reinforced

8012.029 - ID 1215-7



Ext. (inch) 12 x 15 x 7.5 9.4 x 13 x 6.9 Int. (inch) 0.56 Volume (ft3) Weight (lb) 2.4 Label holder Short and long side Short and long side Handles Reinforced Base

8013.029 - ID 1215-9



Ext. (inch) 12 x 15 x 9.5 9.4 x 13 x 8.9 Int. (inch) Volume (ft3) 0.62 2.8 Weight (lb) Short and long side Label holder Short and long side Handles Reinforced Base

8014.029 - ID 2415-5



Ext. (inch) 24 x 15 x 5 21.4 x 13 x 4.4 Int. (inch) 0.72 Volume (ft³) Weight (lb) 3.0 Long side Label holder Handles Short side Reinforced

8015.029 - ID 2415-7



Ext. (inch) 24 x 15 x 7.5 Int. (inch) 21.4 x 13 x 6.9 Volume (ft³) 1.309 3.8 Weight (lb) Short and long side Label holder Handles Short and long side Base Reinforced

8016.029 - ID 2415-9



Ext. (inch) 24 x 15 x 9.5 21.4 x 13 x 8.9 Int. (inch) 1.42 Volume (ft3) Weight (lb) Label holder Short and long side

Short and long side Handles Reinforced Base



InterStack 2415



24 x 22.5 x 7.5 21.4 x 20.5 x 6.9 Volume (ft3) 1.78

Weight (lb) 5.0

Label holder Short and long side Short and long side Handles Base Smooth

8018.004 - ID 2415-7

8017.004 - ID 2415-5



Ext. (inch) 24 x 22.5 x 8.7 Int. (inch) 21.4 x 20.5 x 8.1 Volume (ft3) 2.06 Weight (lb) 5.4 Label holder Short and long side Short and long side Handles

Smooth

8019.004 - ID 2415-9

Base



Ext. (inch) 24 x 22.5 x 10.9 Int. (inch) 21.4 x 20.5 x 10.3 Volume (ft3) 2.64 Weight (lb) 6.4 Label holder Handles Base



Short and long side Short and long side Smooth

Accessories



8020.000 - Label holder

Ext. (inch) 8.6 x 3.5 x 0.57 0.077 Weight (lb) Version with narrow fingers

8020.100 - Label holder

Version with wide fingers

8017.029 - ID 2415-5

8018.029 - ID 2415-7

8019.029 - ID 2415-9

Ext. (inch)

Int. (inch)

Volume (ft3)

Weight (lb)

Label holder

Handles

Ext. (inch)

Int. (inch)

Volume (ft3)

Weight (lb)

Label holder

Handles

Ext. (inch)

Int. (inch)

Volume (ft3)

Weight (lb)

Label holder

Handles

Base

Base

Base

24 x 22.5 x 7.5

1.78

2.06

2.64

6.4

5.4

21.4 x 20.5 x 6.9

Short and long side

Short and long side

Reinforced

24 x 22.5 x 8.7

21.4 x 20.5 x 8.1

Short and long side

Short and long side

Reinforced

24 x 22.5 x 10.9


21.4 x 20.5 x 10.3

Short and long side

Short and long side

Reinforced

Ext. (inch) 8.6 x 3.5 x 0.57 Weight (lb) 0.077



Smooth base



Reinforced base



Schoeller Allibert

Innovating your logistics for a better world

C.P. 03900 Mexico D.F. 0052-55-5603-8312



Please visit our website www.schoellerallibert.com

InterStack: The ideal stacking container for the US Automotive industry

Modular & compact

The InterStack containers form a compact handling and distributuion unit.

The full range of containers is compatible with the AIAG 48x45 inch pallet, and is designed according to AIAG RC-9 standards.

Manual handling

Recessed handholds enable comfortable and secure manual

Sustainable choice


InterStack containers are fully recyclable at the end of their long working lives.

InterStack containers replace disposable packaging and therefore reduce waste and lower costs.

Automation friendly

Works seamlessly with automated filling, weighing, scanning and handling technology.

The containers incorporates access points for robot handling equipments, like bosses for automation and pick up holes in the top rim.



Branding & labeling

It is possible to brand your InterStack container by using your own company color and logo.

You can use label placards, or the optional textured surface that ensures the easy removal of adhesive labels.







Strong performance

InterStack is a durable, strong and impact resistant container for secure transport and storage of your products.

The double rib design on the side walls offers a high level of stacking performance in mixed stacking configurations.

The rounded corners improve strength, resistance and ensure smooth changes of direction on conveyor systems.

Flexible label holders

The InterStack range features label holders that easily attach to the container using special connectors.

The label holders can be fitted on both the short sidewall and the long sidewall, in three different positions.

For identification of contents and the container destination, two versions of click-on label holders are available, either with wide (suitable for larger card sizes) or narrow (suitable for smaller card sized) fingers.



InterStack

Imperial stacking container range

Industry standard stacking container for the US automotive industry: adaptable, adjustable, safe and reliable.